

01873.GC0014.

PATENT APPLICATION

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

| | | |
|-----------------------------------|---|----------------------------|
| In re Application of: |) | |
| | : | Examiner: Heide Marie Eide |
| HEINRICH HANISCH ET AL. |) | |
| | : | Group Art Unit: 3732 |
| Application No.: 10/547,680 |) | |
| | : | Conf. No.: 9000 |
| Filed: September 2, 2005 |) | |
| | : | |
| For: DEVICE FOR SELECTING AN AREA |) | |
| OF A DENTAL RESTORATION BODY, | : | |
| WHICH IS DEPICTED IN A 3D |) | |
| REPRESENTATION, AND METHOD | : | |
| THEREFOR |) | June 22, 2009 |

Mail Stop Amendment
Commissioner For Patents
P.O. Box 1450
Alexandria, VA 22313-1450

SUPPLEMENTAL
SUBMISSION OF REPLACEMENT DRAWINGS SHEETS

Sir:

Submitted herewith are ten (10) sheets of corrected drawings to be substituted for the corresponding drawing sheets presently on file in the above-identified application. The attached sheets of drawings, which include Figs. 1-9, replace the original sheets on file.

Specifically, the attached replacement sheets include changes to the drawings, in compliance with 37 CFR 1.121(d), as required by the Examiner at pages 2-3 of the final Office Action mailed December 22, 2008. No new matter has been added.

Applicants' undersigned attorney may be reached in our New York Office by telephone at (212) 218-2100. All correspondence should continue to be directed to our address listed below.

Respectfully submitted,

/Michael P. Sandonato/
Michael P. Sandonato
Attorney for Applicants
Registration No. 35,345

FITZPATRICK, CELLA, HARPER & SCINTO
30 Rockefeller Plaza
New York, New York 10112-3801
Facsimile: (212) 218-2200

FCHS_WS 3532924_1.DOC